

W-TAB10

10" touch screen



The W-TAB10 is a TFT touch screen compatible with all DNM products : DN-88, DN-88D, DNM-1616, DNM-1616D and the NTU-200 web radio player with its UNDOCK application. It includes a 10" capacitive touch screen. When a W-TAB10 display is included in a MAJORCOM DNM installation, it is not necessary to use a computer to manage connected devices. Each unit can be configured to operate as a single zone or multi-zone control panel. It allows to run graphical interfaces created for users to control volume, source selection, launch presets, communication via TCP/UDP with external devices, etc. Powered by POE or external power supply (including universal power supply). Optional VESA75 and desktop mounting systems.

MAIN FEATURES

- Control screen, with the ability to run DNM projects via our dedicated application, it can also drive the NTU-200 web radio player
- 10" capacitive touch screen
- Ethernet network connection
- POE or external power supply (including universal power supply)
- Optional VESA75 and desktop mounting systems

APPLICATIONS

- Trade
- Hotel
- Teaching
- Companies
- Sports
- Leisure
- Hospital
- Exhibition park

SUPPORT VESA TABLE : adjustable desk stand (optional)



SUPPORT VESA MURAL : wall mount or rack (optional)



W-TAB10

10" touch screen

Model	W-TAB10
SYSTEM	
CPU	RK3288 quad-core processor, clocked at 1.8G
RAM	2GB
ROM	16GB
OS	Android 9.0
SCREEN	
Size	10.1" IPS
Resolution	1280x800
Contrast ratio	1300
Brightness	350cdm2
Scale of the screen	16:10
Backlighting	LED
Touch panel	Capacitive multi-touch
NETWORK AND CONNECTIVITY	
Ethernet	PoE supports
Ethernet port	Ethernet Base-TX 10/100Mb / 1GB CAT5e or higher up to 100m
Wifi	802.11b/g/n
SD card	Max 32GB
Mini USB	USB OTG
USB host	USB HOST 2.0
Video	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc. Up to 1080p
Audio	MP3/WMA/AAC etc.
Image	Jpeg, jpg
Languages	Multilingual menu
Camera	2MP
POWER SUPPLY	
External supply voltage	12VDC
DC current (max)	350mA from 12VDC external power supply 125mA from PoE
Power consumption to the power supply	6W
GENERAL	
Bracket mounting holes	VESA 75mm
Dimensions WxHxD	260x178x28 mm
Weight	700 gr
INCLUDED ACCESSORY	
Power adapter	100-240VAC 50-60Hz 12V / 3A

W-TAB10

10" touch screen

MECHANICAL DRAWINGS

